



32A LED Indicator Light Household Car Charging Gun For New Energy Vehicle

Basic Information

Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY

CO., LTD

Model Number: HD-AMB106



Product Specification

Plug Model: NEMA 5-15PProduct Type: Plug And Charge

• Shell Material: Gun Head - Control Box PC9330

• Equipment Size: Gun Head 230 * 98 * 58mm/control Box 220

* 98 * 48mm [H * W * D]

• Installation Method: Floor/wall Mounted

Install Components: Wall Mounted Screw Accessories

• Wiring Method: Up In And Down Out

• Equipment Weight: About 3.4KG

• Highlight: 32A car charging gun,

LED Indicator Light car charging gun,

32A ev charging gun

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Name: 32A LED Indicator Light Household New Energy Vehicle Charging Gun

Product Description

Quick Details

- 1. Portable household portable charger
- 2. After charging and use, it can be carried with the vehicle
- 3. The power of the device is as low as 3W in the on-machine state, saving energy and low consumption
- 4. Three color charging indicator light, indicating charging related values

Describe

The HD-AMB106 charging gun is a portable charging product that meets the American AC power standards, with a rated maximum AC output power of 7.4KW and a weight of approximately 3.4KG. It is suitable for household new energy on-board chargers, outdoor travel, emergency relief, and outdoor work.

General specifications

General specifica		
Detailed parameters		Parameter Details
Name and model		HD-AMB106
	plug model	NEMA 5-15P
	product type	Plug and Charge
	Shell material	Gun Head - Control Box PC9330
	Equipment size	Gun head 230 * 98 * 58mm/control box 220 *
		98 * 48mm [H * W * D]
		50[5]
	Installation	Floor/wall mounted
Appearance structure	method	
	Install	Wall mounted screw accessories
	components Wiring method	Up in and down out
	Equipment	op in and down out
	weight	About 3.4KG
	Cable	
	specifications	3*6mm²+0.75mm²
	Cable length	5 meters [supports customized line length]
	input voltage	AC240V
		50Hz/60Hz
	maximum	7 41041
	power	7.4KW
Electrical	output voltage	AC240V
indicators	Output current	32A
	standby power	3W
	usage	Indoor/Outdoor
	scenarios	
	Working	5% -95% non condensing
	humidity	- v - c - v - v - v - v - v - v - v - v
	working	-30 +50
	temperature	0000
	Working altitude	
	Cooling method	Gun head IP67/control box IP67
 Environmental	Safety	INatural Cooling
indicators	regulations and	SAF 11772
	standards	OALO 1772
	Flame retardant	
	grade	UL94 V0
	Product	III 500
	Certification	UL,FCC
	man-machine	LED indicator light
Functional	interface	LED maloator light
design	communication	/
	interface	
Packaging	Box ,	505*505*298mm
specifications	gauge/weight	

safety design	Undervoltage protection, overvoltage protection, overload protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection,
	electrostatic protection, flame retardant protectionretardant
	protection

Matters needing attention

- 1. Do not put the product into water!
- 2. Do not heat the product or approach a fire source! Do not disassemble or modify the product without authorization! Do not forcefully strike the product! otherwise It may cause other hazards such as overheating, short circuit, fire, functional failure, and shortened lifespan of the battery.
- 3. Disassembly and assembly prohibited
- 4. It is prohibited to use non dedicated vehicles for charging, as it may cause danger;
- 5.If there is leakage, do not directly touch the leakage. The leaked electrolyte can cause skin discomfort. In case the electrolyte enters the eyes, rinse with clean water as soon as possible, do not rub the eyes, and promptly seek medical attention:

Application

Suitable for charging anytime and anywhere in situations such as emergency electricity for American standard new energy vehicles, outdoor travel, emergency relief, and outdoor work.

Frequently Asked Questions

- 1.Can I place a sample order for a charging gun?
- 2. What is the delivery time?
- 3.Is there a minimum order quantity limit for charging gun orders?
- 4. How to transport the goods and how long will it take for delivery?
- 5. How to process charging gun orders? (Requirements, quotations, samples, deposits, production)
- 6. Is it possible to label?
- 7. How long is the warranty period?
- 8. How to handle faults?



TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626





e outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin