Plug And Charge Ev Charging Gun Household 32A Industrial Plug

TIANJIN TOEC HUADIAN TECHNOLOGY

TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



outdoorpower-station.com

Brand Name:

Model Number:

HUADIAN

CO., LTD HD-OB103



Product Specification

- Plug Model:
- Product Type:
- Shell Material:
- Equipment Size:
- Installation Method:
- Install Components:
- Wiring Method:
- Equipment Weight:
- Highlight:

- 32A Industrial Plug
- Plug And Charge
- Plug And Play Charging/scheduled Charging/current Regulation
- Gun Head Control Box PC9330
- Gun Head 240 * 98 * 70mm/control Box 220 * 80 * 70mm [H * W * D]
- Floor/wall Mounted
 - Wall Mounted Screw Accessories
 - About 3.4KG
 - Plug And Charge Ev Charging Gun, Ev Charging Gun 32A, charging gun ev Industrial Plug

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Name: 32A LCD LED Indicator Light Household New Energy Vehicle Charging Gun

Product Description

Quick Details

- 1. Portable household portable charger
- 2. After charging and use, it can be carried with the vehicle
- 3. When the device is in standby mode, the power is as low as 3W, saving energy and low consumption
- 4. Three color charging indicator light, indicating charging related values

Describe

The HD-OB103 charging gun is a portable charging product that meets the European Union's AC power consumption standards, with a rated AC output of maximum power of 7KW and a weight of approximately 3.4KG. It is suitable for household new energy on-board chargers, outdoor travel, emergency relief, outdoor work, and other occasions.

General specifications

General specifica					
Detailed parameters		Parameter Details			
Name and model		HD-OB103			
	plug model	32A industrial plug			
	product type	Plug and Charge			
	Shell material	Plug and play charging/scheduled			
	onen materiar	charging/current regulation			
	Equipment size	Gun Head - Control Box PC9330			
	Installation method	Gun head 240 * 98 * 70mm/control box 220 * 80 * 70mm [H * W * D]			
Appearance structure	Install components	Floor/wall mounted			
	Wiring method	Wall mounted screw accessories			
	Equipment weight	About 3.4KG			
	Cable specifications	3.6mm ² +0.75mm ² 5 meters [supports customized line length]			
	Cable length				
	input voltage	AC230V			
	Input frequency	50Hz/60Hz			
	maximum power	7KW			
Electrical	output voltage	AC230V			
indicators	Output current	32A			
	standby power	3W			
	usage scenarios	Indoor/Outdoor			
	Working humidity	5% -95% non condensing			
	working temperature	-30 +50			
	Working altitude	<2000 meters			
		Gun head IP67/control box IP67			
Environmental	Cooling method	Natural cooling			
indicators	Safety regulations and standards				
	Flame retardant grade	UL94 V0			
	Product Certification	TUV,CE,CB			
	man-machine interface	LED indicator light			
Functional design	communication interface	/			

Packaging specifications	Box gauge/weight	505*505*298mm
safety design	protection, overcleakage protection	betection, overvoltage protection, overload current protection, over temperature protection, on, grounding protection, lightning protection, ection, flame retardant protectionretardant

Matters needing attention

1. Do not put the product into water!

2. Do not heat the product or approach a fire source! Do not disassemble or modify the product without authorization! Do not forcefully strike the product! Otherwise It may cause other hazards such as overheating, short circuit, fire, functional failure, and shortened lifespan of the battery.

- 3. Disassembly and assembly prohibited
- 4. It is prohibited to use non dedicated vehicles for charging, as it may cause danger;

5.If there is leakage, do not directly touch the leakage. The leaked electrolyte can cause skin discomfort. In case the electrolyte enters the eyes, rinse with clean water as soon as possible, do not rub the eyes, and promptly seek medical attention;

Application

Suitable for charging anytime and anywhere in situations such as emergency electricity for American standard new energy vehicles, outdoor travel, emergency relief, and outdoor work.

Frequently Asked Questions

- 1.Can I place a sample order for a charging gun?
- 2. What is the delivery time?
- 3.Is there a minimum order quantity limit for charging gun orders?
- 4. How to transport the goods and how long will it take for delivery?

5. How to process charging gun orders? (Requirements, quotations, samples, deposits, production)

- 6. Is it possible to label?
- 7. How long is the warranty period?
- 8. How to handle faults?

	TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD					
0	13752486	626	huangwei@toec-iot.com	E	outdoorpower-station.com	
No. 6, Mount Taishan Road, Hexi District, Tianjin						