

# 3000W Portable Camping Power Station 3688Wh Lithium Battery Power Station

## **Basic Information**

Brand Name:

Model Number:

TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD HDH3000



## **Product Specification**

<ul> <li>Highlight:</li> </ul>	3000W Portable Camping Power Station, Portable Camping Power Station 3688Wh, 3688Wh Lithium Battery Power Station
<ul> <li>Warranty:</li> </ul>	12Months
<ul> <li>Safety Protection:</li> </ul>	Short-circuit/Over-current/Over-voltage/Over- temperature/Low-voltage Protection
Recharge Time:	6-7 Hours
Recharge Method:	AC Wall Outlet/Solar Panel
• Output:	2*USB 5V/3.1A, 1*DC 12V/10A, 1*QC3.0 USB, 1*Type-C PD 45W
• Name:	Portable Outdoor Power Station
Input:	AC 100-240V, 50/60Hz
Capacity:	3688Wh

### **Product Description**

We usually export large quantities to foreign countries. Hope to find more trade partners.

3000W lithium iron phosphate battery for self driving, camping, portable emergency energy storage, outdoor mobile power supply

- Product Description 1. LCD display
- 2. DC output
- 3. Cigarette lighter socket output
- 4. USB output
- 5. PV input
- 6. DC input
- 7. Anti collision strip
- 8. Wireless charger
- 9. SOS mode and LED lights
- 10. Air inlet with cooling fan
- 11. AC output
- 12.3000W
- 13. Lithium iron phosphate battery
- 14. Support for parallel operation

#### Describe

HDH3000 is a portable energy storage power supply product that meets the American AC power standards, with a rated AC output power of 3000W and a lithium iron phosphate battery capacity of 2688Wh. It is suitable for household emergency power consumption, outdoor travel, emergency relief, outdoor work, and other occasions.

This product has a total AC rated output power of 3000W, with two 110V AC outputs, three USB-A outputs that meet the QC3.0 standard, one USB-C output that meets the PD60 standard, two DC5525 outputs, and one cigarette lighter port output. It has a built-in 5W LED lighting and SOS alarm function, and supports 10W wireless charging function.

This product supports 110V AC charging through the standard 24V/6.25A AC adapter, as well as DC photovoltaic 18V/100-200W charging and DC 12V car charger to charge the product.

General specifications

General specifications		
Rated capacity	2688wh	
Weight (net weight)	≈40kg	
AC charging	1600W	
output	1*13.5V/10A	
input	AC+solar panel+car charger	
Neutral color	Orange+Black	
AC output	4 * 1110V/60Hz or 4 * 230V/50Hz	
DC output	2*13.5V/10A	
USB-C output	4*5-9V/2A	
Output waveform	Pure sine wave	
Typical - C output	2*5-20V/5A	
working temperature	14-104 (-10-40 )	
Charging temperature	32-104 (0-40 )	
Storage temperature	-4-113 (-20-45 )	
Security mechanism protection	High and low temperature charging overvoltage and overcurrent protection, high and low temperature discharge undervoltage and overcurrent protection, overload and reverse connection protection, output overload and short circuit protection, system overtemperature, lightning strike resistance, and surge protection	

#### Application

Suitable for emergency household electricity use, mountaineering and fishing, outdoor travel, emergency relief, outdoor work, and other occasions.

The DC13.5V stable voltage design is equipped with a separate DC switch, which brings a never power-off demand for car refrigerators, ice makers, and other car products, adding a new experience to outdoor travel.



No. 6, Mount Taishan Road, Hexi District, Tianjin