

# Travel Work Portable Outdoor Power Station AC 100-240V 50 60Hz

## **Basic Information**

Brand Name:

Model Number:

TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD HDG1000



## Product Specification

- Battery Type:
- Capacity:

LED Display:Product Name:

• Highlight:

• Input:

- Lithium-ion Battery 999Wh AC 100-240V, 50/60Hz Yes Portable Outdoor Power Station
- Protection: Over-temperature, Over-current, Shortcircuit, Over-voltage, Low-voltage, Over-load
  - Portable Outdoor Power Station AC 100, Portable Outdoor Power Station 240V, travel power station 60Hz

### **Product Description**

We usually export large quantities to foreign countries. Hope to find more trade partners.

G1000M Portable Outdoor Power Station with LCD Display, 1000W AC Output, 999Wh Battery Capacity DESCRIPTION

- 1. LCD display
- 2. DC output
- 3. Cigarette lighter socket output
- 4. USB output
- 5. PV input
- 6. DC input
- 7. Anti collision strip
- 8. Wireless charger
- 9. SOS mode and LED lights
- 10. Air intake vent with cooling fan
- 11. AC output
- 12.1000W
- 13. Ternary lithium battery

#### Describe

G1000M is a portable energy storage power supply product that meets the American AC power standards, with a rated AC output power of 1000W and a 21700 ternary lithium battery capacity of 999Wh. It is suitable for household emergency power consumption, outdoor travel, emergency disaster relief, outdoor work, and other occasions.

This product has a total AC rated output power of 1000W, with two 110V AC outputs, three USB-A outputs that meet the QC3.0 standard, one USB-C output that meets the PD60 standard, two DC5525 outputs, and one cigarette lighter port output. It has a built-in 5W LED lighting and SOS alarm function, and supports 10W wireless charging function.

This product supports 110V AC charging through the standard 24V/6.25A AC adapter, as well as DC photovoltaic 18V/100-200W charging and DC 12V car charger to charge the product.

General specifications		
General specifications		
Rated capacity	999wh	
Weight (net weight)	≈8.2kg	
Weight (including accessories)	≈9.8kg	
Product size	319mmx192mmx193mm	
input	·	
Recharging input voltage	12-26V	
Recharging input power	155W Max	
AC/DC adapter	AC100-240V,DC12-26V 6.25A	
Solar charging input	12V-26V(155W Max)	
Car charger	12V===8A Max	
output		
AC output voltage	110V±10%/60Hz	
Rated output power	1000W	
Output waveform	pure sine wave	
Overload protection power supply	1100±80W	
Cigarette lighter socket output	12V===10A	Total 10A
DC55 * 2.5 output x2	12V===5A	
Wireless charger	10W	
USB output	QC3.0/18W	
C-type output	PD60W	
C-type output		
Battery standard capacity	22.2V 45Ah	
Working temperature	14 to 104 (-10 to 40 )	
Charging temperature	32 to 104 (0 to 40 )	
Storage temperature	-4 to 113 (-20 to 45 )	

Application

Suitable for emergency household electricity use, outdoor travel, emergency relief, outdoor work, and other occasions. Pure sine wave AC output, Type-C output, USB-A output, car mounted cigarette lighter output, DC5521 output, wireless charging output. 10 ports can be used simultaneously without interfering with each other, supporting both charging and usage.





C 13752486626 a huangwei@toec-iot.com

e outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin