

Wireless Charger Portable Outdoor Power Station 21700 Ternary Lithium Battery

Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HDG1000



Product Specification

- Battery Type: Lithium-ion Battery
- Capacity: 999Wh
- DC Output: 12V/10A (Max)
- Inputs: AC/DC/USB/Type-C
- LED Display: Battery Capacity/Input/Output/Fault Indication
- Outputs: AC/DC/USB/Type-C
- Highlight: Portable Outdoor Power Station 21700 Ternary, Wireless Charger Portable Outdoor Power Station, powerstation outdoor 21700 Ternary

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

G1000M Portable Outdoor Power Station with LCD Display, 999Wh 21700 Ternary Lithium Battery, 1000W AC Output and Wireless

DESCRIPTION

1. LCD display
2. DC output
3. Cigarette lighter socket output
4. USB output
5. PV input
6. DC input
7. Anti collision strip
8. Wireless charger
9. SOS mode and LED lights
10. Air intake vent with cooling fan
11. AC output
- 12.1000W
13. Ternary lithium battery

Describe

G1000M is a portable energy storage power supply product that meets the American AC power standards, with a rated AC output power of 1000W and a 21700 ternary lithium battery capacity of 999Wh. It is suitable for household emergency power consumption, outdoor travel, emergency disaster relief, outdoor work, and other occasions.

This product has a total AC rated output power of 1000W, with two 110V AC outputs, three USB-A outputs that meet the QC3.0 standard, one USB-C output that meets the PD60 standard, two DC5525 outputs, and one cigarette lighter port output. It has a built-in 5W LED lighting and SOS alarm function, and supports 10W wireless charging function.

This product supports 110V AC charging through the standard 24V/6.25A AC adapter, as well as DC photovoltaic 18V/100-200W charging and DC 12V car charger to charge the product.

General specifications

General specifications		
Rated capacity	999wh	
Weight (net weight)	≈8.2kg	
Weight (including accessories)	≈9.8kg	
Product size	319mmx192mmx193mm	
input		
Recharging input voltage	12-26V	
Recharging input power	155W Max	
AC/DC adapter	AC100-240V,DC12-26V 6.25A	
Solar charging input	12V-26V(155W Max)	
Car charger	12V===8A Max	
output		
AC output voltage	110V±10%/60Hz	
Rated output power	1000W	
Output waveform	pure sine wave	
Overload protection power supply	1100±80W	
Cigarette lighter socket output	12V===10A	Total 10A
DC55 * 2.5 output x2	12V===5A	
Wireless charger	10W	
USB output	QC3.0/18W	
C-type output	PD60W	
C-type output		
Battery standard capacity	22.2V 45Ah	
Working temperature	14 to 104 (-10 to 40)	
Charging temperature	32 to 104 (0 to 40)	
Storage temperature	-4 to 113 (-20 to 45)	

Application

Suitable for emergency household electricity use, outdoor travel, emergency relief, outdoor work, and other occasions.

Pure sine wave AC output, Type-C output, USB-A output, car mounted cigarette lighter output, DC5521 output, wireless charging output. 10 ports can be used simultaneously without interfering with each other, supporting both charging and usage.



TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin