

# 2264.4Wh Capacity Camping Portable Power With 2000W AC Output

## **Basic Information**

• Brand Name:

Model Number:

TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD HDMP2000



## Product Specification

- Battery Type:
- Capacity:
- Charge Cycles:
- Indicator:
- Input:
- LCD Screen AC 100-240V/50-60Hz

500+

Lithium-ion

2264.4Wh

- Operating Temperature: 14
- Highlight:

14°F To 104°F 2264.4Wh Capacity Camping Portable Power, Camping Portable Power 2000W, power source for camping 2000W

### **Product Description**

We usually export large quantities to foreign countries. Hope to find more trade partners.

HDMP2000 Portable Outdoor Power Station with 2000W AC Output, 2264.4Wh Capacity, 2\*DC5525, QC3.0/PD60 USB Output Product Description

- 1. LCD display
- 2. DC output
- 3. Cigarette lighter socket output
- 4. USB output
- 5. PV input
- 6. DC input
- 7. Anti collision strip
- 8. Wireless charger
- 9. SOS mode and LED lights
- 10. Air inlet with cooling fan
- 11. AC output
- 12.1000W
- 13. Ternary lithium battery

#### Describe

HDMP2000 has an independent battery compartment and is a portable energy storage power supply product that meets the American AC power standards with a rated AC output power of 2000W. It uses 21700 ternary lithium batteries and a battery capacity of 2264.4Wh. It is suitable for household emergency power consumption, outdoor travel, emergency disaster relief, outdoor work, and other occasions.

This product has a total AC rated output power of 2000W, with two 110V AC outputs, three USB-A outputs that meet the QC3.0 standard, one USB-C output that meets the PD60 standard, two DC5525 outputs, and one cigarette lighter port output. It has a built-in 5W LED lighting and SOS alarm function.

This product supports 110V AC charging through the standard 24V/6.25A AC adapter, as well as DC photovoltaic 18V/100-200W charging and DC 12V car charger to charge the product.

General specifications			
General specifications			
rated capacity	2264.4wh		
Weight (net weight)	≈34kg		
Weight (including accessories)	≈35kg		
Product size	460mmx366mmx260mm		
input			
Recharging input voltage	12-26V		
Recharging input power	155W Max		
AC/DC adapter	AC 100-240V, DC 12-26V 6.25A		
Solar charging input	12V-26V (maximum 155W)		
Car charger	12V==10A maximum		
output			
AC output voltage	110V±10%/60Hz		
Rated output power	2000W		
Output waveform	Pure sine wave		
Overload protection power supply	2100±80W		
Cigarette lighter socket output	12V===10A	Total 8A	
DC55 * 2.5 output x2	12V===10A		
USB output	QC3.0/18W	8W	
C-type output	PD60W		
battery			
Standard battery capacity	44.4V 51Ah		
working temperature	14-104 (-10-40 )		
Charging temperature	32-104 (0-40 )		
Storage temperature	-4-113 (-20-45 )		



13752486626

Application Suitable for emergency household electricity use, outdoor travel, emergency relief, outdoor work, and other occasions. Suitable for all scenarios such as long-distance travel, RV self driving, outdoor camping, and outdoor work. Powering equipment with a power of 2000W and a huge energy of 2000Wh, one unit can solve the long-term outdoor electricity problem.

TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD

© outdoorpower-station.com

huangwei@toec-iot.com

No. 6, Mount Taishan Road, Hexi District, Tianjin