

# Pure Sine Wave Portable Outdoor Power Station Ternary Lithium Battery

## **Basic Information**

Brand Name:

Model Number:

TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD HDMP1000



### Product Specification

<ul> <li>Battery Type:</li> </ul>	Lithium-ion
Capacity:	999Wh
<ul> <li>LED Display:</li> </ul>	Yes
Name:	Portable Outdoor Power Station
Recharge Method:	AC Wall Outlet, Car Charger, Or Solar Panel
Recharge Time:	6-7 Hours
<ul> <li>Safety Features:</li> </ul>	Short-circuit Protection, Low-voltage Protection, Over-voltage Protection, Over- temperature Protection, Over-current Protection, Over-load Protection
<ul> <li>Warranty:</li> </ul>	1 Year
Highlight:	Portable Outdoor Power Station Lithium Battery , Sine Wave Portable Outdoor Power Station

### **Product Description**

We usually export large quantities to foreign countries. Hope to find more trade partners.

HDMP1000 Portable Outdoor Power Station,999Wh Capacity, Wireless Charger, LED Lights

- Quick Details
- 1. LCD display
- 2. DC output
- 3. Cigarette lighter socket output
- USB output
   PV input
- 6. DC input
- 7. Anti collision strip
- 8. Wireless charger
- 9. SOS mode and LED lights
- 10. Air inlet with cooling fan
- 11. AC output
- 12.1000W
- 13. Ternary lithium battery

#### Describe

HDMP1000 is a portable energy storage power supply product that meets the American AC power standards, with a rated AC output power of 1000W and a 21700 ternary lithium battery capacity of 999Wh. It is suitable for household emergency power consumption, outdoor travel, emergency disaster relief, outdoor work, and other occasions.

This product has a total AC rated output power of 1000W, with two 110V AC outputs, three USB-A outputs that meet the QC3.0 standard, one USB-C output that meets the PD60 standard, two DC5525 outputs, and one cigarette lighter port output. It has a built-in 5W LED lighting and SOS alarm function, and supports 10W wireless charging function.

This product supports 110V AC charging through the standard 24V/6.25A AC adapter, as well as DC photovoltaic 18V/100-200W charging and DC 12V car charger to charge the product.

General specifications		
General specifications		
Rated capacity	999wh	
Weight (net weight)	≈8.5kg	
Weight (including accessories)	≈9.5kg	
Product size	290mmx202mmx202mm	
frequency	50/60Hz	
USB-A	3*18W	
USB-C	60W	
DC output	5525 * 2+cigarette lighter 120W	
Solar charging	112V-26V (maximum 155W)	
In car charging	96W	
LED lights	3W surface light source	
AC output voltage	110V±10%/60Hz	
Rated output power	1000W	
Output waveform	Pure sine wave	
Overload protection power supply	1100±80W	
Cigarette lighter socket output	14V===8A	
DC55 * 2.5 output x2	14V===8A	
wireless charger	10W	
USB output	QC3.0/18W	
C-type output	PD60W	
battery		
Standard battery capacity	22.2V 45Ah	
working temperature	14-104 (-10-40 )	
Charging temperature	32-104 (0-40 )	
Storage temperature	-4-113 (-20-45 )	
WIFI/APP	Support (optional), the app needs to be customized and developed	

#### Application

Suitable for emergency household electricity use, outdoor travel, emergency relief, outdoor work, and other occasions. Home emergency, fully powered.



# TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD

€ 13752486626 E huangwei@toec-iot.com

outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin