

500 Cycles Portable Outdoor Power Station HDMP1000 Portable Power Station 1000w

Basic Information

- Brand Name:
- HDMP1000 Portable Outdoor Power Station - 999Wh Capacity, 1000W AC Output, 10W Wireless Charger
- Model Number:

HDMP1000



Product Specification

- . LED Display:
- Operation Temperature: -10 ~40
- Output:
- Product Name:
- Recharge Cycles:

Yes

- Weight: • Highlight:
- 110V AC Outlet/2*USB/1*Type-C/2*DC Portable Outdoor Power Station 500+ 8.5lbs 500 Cycles Portable Outdoor Power Station,
- Portable Outdoor Power Station HDMP1000, HDMP1000 Portable Power Station 1000w

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Portable Outdoor 1000W Power Station, LCD Display, AC/DC/USB Output, PV Input

- Quick Details
- 1. LCD display
- 2. DC output
- 3. Cigarette lighter socket output
- USB output
 PV input
- 6. DC input
- 7. Anti collision strip
- 8. Wireless charger
- 9. SOS mode and LED lights
- 10. Air inlet with cooling fan
- 11. AC output
- 12.1000W
- 13. Ternary lithium battery

Describe

HDMP1000 is a portable energy storage power supply product that meets the American AC power standards, with a rated AC output power of 1000W and a 21700 ternary lithium battery capacity of 999Wh. It is suitable for household emergency power consumption, outdoor travel, emergency disaster relief, outdoor work, and other occasions.

This product has a total AC rated output power of 1000W, with two 110V AC outputs, three USB-A outputs that meet the QC3.0 standard, one USB-C output that meets the PD60 standard, two DC5525 outputs, and one cigarette lighter port output. It has a built-in 5W LED lighting and SOS alarm function, and supports 10W wireless charging function.

This product supports 110V AC charging through the standard 24V/6.25A AC adapter, as well as DC photovoltaic 18V/100-200W charging and DC 12V car charger to charge the product.

General specifications	
General specifications	
Rated capacity	999wh
Weight (net weight)	≈8.5kg
Weight (including accessories)	≈9.5kg
Product size	290mmx202mmx202mm
frequency	50/60Hz
USB-A	3*18W
USB-C	60W
DC output	5525 * 2+cigarette lighter 120W
Solar charging	112V-26V (maximum 155W)
In car charging	96W
LED lights	3W surface light source
AC output voltage	110V±10%/60Hz
Rated output power	1000W
Output waveform	Pure sine wave
Overload protection power supply	1100±80W
Cigarette lighter socket output	14V===8A
DC55 * 2.5 output x2	14V===8A
wireless charger	10W
USB output	QC3.0/18W
C-type output	PD60W
battery	
Standard battery capacity	22.2V 45Ah
working temperature	14-104 (-10-40)
Charging temperature	32-104 (0-40)
Storage temperature	-4-113 (-20-45)
WIFI/APP	Support (optional), the app needs to be customized and developed

application

Suitable for emergency household electricity use, outdoor travel, emergency relief, outdoor work, and other occasions. Supports multiple charging methods, charge wherever you want.



C 13752486626 D hua

huangwei@toec-iot.com

@ outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin