

8A-32A Portable Outdoor Power Station Floor / Wall Mounted

Our Product Introduction

for more products please visit us on outdoorpower-station.com

Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-OB102



Product Specification

- Input Voltage: AC230V
- Input Frequency: 50Hz/60Hz
- Maximum Power: 7KW
- Output Voltage: AC230V
- Output Current: 8A-10A-13A-16A-32A
- Standby Power: 3W
- Highlight: **32A Portable Outdoor Power Station,
8A Portable Outdoor Power Station,
outdoor power station Wall Mounted**

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Portable Outdoor Power Station HD-OB102 - 8A-32A Current Regulation & 0-8h Scheduled Charging

Product Description

1. Portable household portable charger
2. After charging and use, it can be carried with the vehicle
3. When the device is in standby mode, the power is as low as 3W, saving energy and low consumption
4. Three color charging indicator light, indicating charging related values
5. Numerical screen display, displaying real-time charging data of the charging gun
6. 8A-10A-13A-16A-32A current gear adjustment, can be set to 0h-8h reservation charging function

Describe

The HD-OB102 charging gun is a portable charging product that meets the European Union's AC power consumption standards, with a rated AC output of maximum power of 7KW and a weight of approximately 3.4KG. It is suitable for household new energy on-board chargers, outdoor travel, emergency relief, outdoor work, and other occasions.

General specifications

Detailed parameters		Parameter Details
Name and model		HD-OB102
Appearance structure	plug model	32A industrial plug
	product type	Plug and play charging/scheduled charging/current regulation
	Shell material	Gun Head - Control Box PC9330
	Equipment size	Gun head 240 * 98 * 70mm/control box 220 * 80 * 70mm [H * W * D]
	Installation method	Floor/wall mounted
	Install components	Wall mounted screw accessories
	Wiring method	Up in and down out
	Equipment weight	About 3.4KG
	Cable specifications	3.6mm ² +0.75mm ²
	Cable length	5 meters [supports customized line length]
Electrical indicators	input voltage	AC230V
	Input frequency	50Hz/60Hz
	maximum power	7KW
	output voltage	AC230V
	Output current	8A-10A-13A-16A-32A
	standby power	3W
Environmental indicators	usage scenarios	Indoor/Outdoor
	Working humidity	5% -95% non condensing
	working temperature	-30 +50
	Working altitude	<2000 meters
	Protection level	Gun head IP67/control box IP67
	Cooling method	Natural cooling
	Safety regulations and standards	SAEJ1772
	Flame retardant grade	UL94 V0
	Product Certification	TUV,CE,CB
Functional design	man-machine interface	LCD 1.3 inch display screen
	communication interface	/
Packaging specifications	Box gauge/weight	505*505*298mm

safety design	Undervoltage protection, overvoltage protection, overload protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection, electrostatic protection, flame retardant protectionretardant protection
---------------	---

Application

Suitable for charging new energy vehicles anytime and anywhere for emergency electricity use in households, outdoor travel, emergency relief, outdoor work, and other occasions.

Waterproof body not afraid of rain

Waterproof grade "IP54",.

Easily face rain and prevent the intrusion of various splashing water, without any harmful effects.



TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin