

22KW 50Hz/60Hz Home EV Charging Station Wall Mount Column Mount

Our Product Introduction

Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-OB206



Product Specification

- Equipment Weight: About 6.2KG
- Input Voltage: AC380V
- Input Frequency: 50Hz/60Hz
- Maximum Power: 22KW
- Output Current: 32A
- Standby Power: 3W
- Highlight: Home EV Charging Station Wall Mount, Home EV Charging Station Column Mount, 22KW home car charging station

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Portable Outdoor Power Station - Wall Mount & Column Mount Charging Stations

Product Description

1. Wall mounted and column mounted charging stations
2. Charging, charging, security and anti-theft measures
3. When the device is in standby mode, the power is as low as 3W, saving energy and low consumption
4. Three color charging indicator light, indicating charging related values
5. Numerical screen display, displaying real-time charging data related to the charging station
6. Optional gold and silver glass panels, supporting customized panels

Describe

The HD-OB206 charging gun is a portable charging product that complies with the European Union's AC power consumption standards, with a rated maximum AC output power of 22KW and a weight of approximately 6.2KG. It is suitable for wall mounted household new energy charging stations and is convenient and fast.

General specifications

Detailed parameters		Parameter Details
Name and model		HD-OB206
Appearance structure	plug model	Separate wiring without plug
	product type	Swipe card activation
	Shell material	Gun Head - Control Box PC9330
	Equipment size	Gun head 230 * 98 * 70mm/control box 268 * 228 * 100mm [H * W * D]
	Installation method	Pillar/wall mounted
	Install components	Wall mounted screw accessories [can be installed with columns]
	Wiring method	Up in and down out
	Equipment weight	About 6.2KG
	Cable specifications	5*6mm ² +0.75mm ²
	Cable length	5 meters [supports customized line length]
Electrical indicators	input voltage	AC380V
	Input frequency	50Hz/60Hz
	maximum power	22KW
	output voltage	AC380V
	Output current	32A
	standby power	3W
Environmental indicators	usage scenarios	Indoor/Outdoor
	Working humidity	5% -95% non condensing
	working temperature	-30 +50
	Working altitude	<2000 meters
	Protection level	Gun head IP67/control box IP67
	Cooling method	Natural cooling
	Safety regulations and standards	SAEJ1772
	Flame retardant grade	UL94 V0
	Product Certification	TUV,CE,CB
	man-machine interface	LCD 1.3 inch display screen/LED indicator light
Functional design	communication interface	/

Packaging specifications	Box gauge/weight	505*505*298mm
safety design	Undervoltage protection, overvoltage protection, overload protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection, electrostatic protection, flame retardant protectionretardant protection	

Application

Suitable for charging new energy vehicles anytime and anywhere for emergency electricity use in households, outdoor travel, emergency relief, outdoor work, and other occasions.

OCPP protocol

Bluetooth link

WiFi link function

RFID card swipinginput voltage



TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin