

22KW Home Ev Charging Point Swipe Card Activation 5 Meters Cable Length

Basic Information

• Brand Name:

Model Number:

TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD HD-OB206



Product Specification

- Installation Method:
- Install Components:
- Wall Mounted Screw Accessories [can Be
- Wiring Method:

• Highlight:

- Equipment Weight:
- Cable Specifications:
- Cable Length: 5 Meters [supports Customized Line Length]

Installed With Columns]

Up In And Down Out

5*6mm² +0.75mm²

About 6.2KG

Pillar/wall Mounted

Home Ev Charging Point Swipe Card, 22KW Home Ev Charging Point

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners. Portable Outdoor Power Station: 22KW, Wall/Column Mounted, Swipe Card Activation Product Description

- 1. Wall mounted and column mounted charging stations
- 2. Charging, charging, security and anti-theft measures
- 3. When the device is in standby mode, the power is as low as 3W, saving energy and low consumption
- 4. Three color charging indicator light, indicating charging related values
- 5. Numerical screen display, displaying real-time charging data related to the charging station
- 6. Optional gold and silver glass panels, supporting customized panels

Describe

The HD-OB206 charging gun is a portable charging product that complies with the European Union's AC power consumption standards, with a rated maximum AC output power of 22KW and a weight of approximately 6.2KG. It is suitable for wall mounted household new energy charging stations and is convenient and fast.

General specificat	tions	
Detailed parameters		Parameter Details
Name and model		HD-OB206
	plug model	Separate wiring without plug
		Swipe card activation
	product type	
	Shell material	Gun Head - Control Box PC9330
	Equipment size	
Appearance structure		Gun head 230 * 98 * 70mm/control box 268 * 228 * 100mm [H * W * D]
	Installation method	Pillar/wall mounted
	Install components	Wall mounted screw accessories [can be installed with columns]
	Wiring method	Up in and down out
	Equipment	
	weight	About 6.2KG
	Cable specifications	5*6mm² +0.75mm²
	Cable length	5 meters [supports customized line length]
	input voltage	AC380V
	1	50Hz/60Hz
Electrical	maximum power	22KW
		AC380V
indicators	Output current	32A
	standby power	3W
Environmental indicators	usage scenarios	Indoor/Outdoor
	Working humidity	5% -95% non condensing
	working temperature	-30 +50
	Working altitude	<2000 meters
	Protection level	Gun head IP67/control box IP67
	Cooling method	Natural cooling
	Safety regulations and standards	
	Flame retardant grade	UL94 V0
	Product Certification	TUV,CE,CB
	man-machine interface	LCD 1.3 inch display screen/LED indicator light
	communication	/
Functional design	interface	<u> </u>

Packaging specifications	Box gauge/weight	505*505*298mm
safety design	Undervoltage protection, overvoltage protection, overload protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection, electrostatic protection, flame retardant protectionretardant protection	

Application

Suitable for new energy vehicle home emergency electricity, outdoor travel, emergency relief, outdoor work and other

occasions, charging anytime and anywhere. The waterproof level has been raised from the industry standard requirement of IP54 to IP55, which is waterproof/dustproof and can be used outdoors with peace of mind.





13752486626

huangwei@toec-iot.com © outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin