

# Portable Household Electric Home Charger 7KW Max 32A Plug

## **Basic Information**

- Brand Name:
- TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number:





### **Product Specification**

- Equipment Weight:
- Input Voltage:
- Input Frequency:
- Maximum Power:
- Standby Power:
- Working Temperature:
- Highlight:

Electric Home Charger 7KW, Electric Home Charger 32A Plug, electric home charging point 7KW

About 3.4KG AC230V

50Hz/60Hz

7KW

3W

-30 +50

### **Product Description**

We usually export large quantities to foreign countries. Hope to find more trade partners.


Portable Household Outdoor Power Station, HD-OB105, 7KW Max, 3W Standby, 32A Plug

- Product Description
- 1. Portable household portable charger
- 2. After charging and use, it can be carried with the vehicle
- 3. When the device is in standby mode, the power is as low as 3W, saving energy and low consumption
- 4. Three color charging indicator light, indicating charging related values
- 5. Numerical screen display, displaying real-time charging data of the charging gun

#### Describe

The HD-OB105 charging gun is a portable charging product that meets the European Union's AC power consumption standards, with a rated AC output of maximum power of 7KW and a weight of approximately 3.4KG. It is suitable for household new energy on-board chargers, outdoor travel, emergency relief, outdoor work, and other occasions.

Detailed parameters		Parameter Details
Name and model		HD-OB105
Appearance structure	plug model	32A industrial plug
	product type	Plug and Charge
	Shell material	Gun Head - Control Box PC9330
	Equipment size	Gun head 230 * 98 * 70mm/control box 220 98 * 62mm [H * W * D]
	Installation method	Floor/wall mounted
	Install components	Wall mounted screw accessories
	Wiring method	Up in and down out
	Equipment weight	About 3.4KG
	Cable specifications	3*6mm² +0.75mm²
	Cable length	5 meters [supports customized line length]
Electrical indicators	input voltage	AC230V
	Input frequency	50Hz/60Hz
	maximum power	7KW
	output voltage	AC230V
	Output current	32A
	standby power	3W
Environmental indicators	usage scenarios	Indoor/Outdoor
	Working humidity	5% -95% non condensing
	working temperature	-30 +50
	Working altitude	<2000 meters
		Gun head IP67/control box IP67
	Cooling method	Natural cooling
	Safety regulations and standards	
	Flame retardant grade	UL94 V0
	Product Certification	TUV,CE,CB
Functional design	man-machine interface	LCD 1.3 inch display screen
	communication interface	/
Packaging specifications	Box gauge/weight	505*505*298mm



### Application

Suitable for charging new energy vehicles anytime and anywhere for emergency electricity use in households, outdoor travel, emergency relief, outdoor work, and other occasions.

#### Adjustable current

It has 4 current modes, with adjustable fast and slow charging, suitable for various current demand models, and good compatibility.



## TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD

