



22KW Home Ev Charging Station Outdoor Portable Wall / Column Mounted Swipe Card Activation

Basic Information

Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY

CO., LTD

Model Number: HD-OB206



Product Specification

Installation Method: Pillar/wall Mounted

• Install Components: Wall Mounted Screw Accessories [can Be

Installed With Columns]

• Wiring Method: Up In And Down Out

Equipment Weight: About 6.2KG
 Cable Specifications: 5*6mm² +0.75mm²

• Cable Length: 5 Meters [supports Customized Line Length]

Highlight: 22KW home ev charging station outdoor,
 Compact home as charging station outdoor.

Compact home ev charging station outdoor, Compact electric car charger for home

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Portable Outdoor Power Station: 22KW, Wall/Column Mounted, Swipe Card Activation Product Description

- 1. Wall mounted and column mounted charging stations
- 2. Charging, charging, security and anti-theft measures
- 3. When the device is in standby mode, the power is as low as 3W, saving energy and low consumption
- 4. Three color charging indicator light, indicating charging related values
- 5. Numerical screen display, displaying real-time charging data related to the charging station
- 6. Optional gold and silver glass panels, supporting customized panels

Describe

The HD-OB206 charging gun is a portable charging product that complies with the European Union's AC power consumption standards, with a rated maximum AC output power of 22KW and a weight of approximately 6.2KG. It is suitable for wall mounted household new energy charging stations and is convenient and fast.

General specifications

General specifications			
Detailed parameters		Parameter Details	
Name and model		HD-OB206	
Appearance	plug model	Separate wiring without plug	
		Swipe card activation	
	product type		
	Shell material	Gun Head - Control Box PC9330	
	Equipment size	Gun head 230 * 98 * 70mm/control box 268 * 228 * 100mm [H * W * D]	
	Installation method	Pillar/wall mounted	
	Install	Wall mounted screw accessories [can be	
		installed with columns]	
	Wiring method	Up in and down out	
	Equipment weight	About 6.2KG	
	Cable specifications	5*6mm² +0.75mm²	
	Cable length	5 meters [supports customized line length]	
	input voltage	AC380V	
	Input frequency	50Hz/60Hz	
	maximum power	22KW	
Electrical	output voltage	AC380V	
indicators	Output current	32A	
	standby power	3W	
Environmental indicators	usage scenarios	Indoor/Outdoor	
	Working humidity	5% -95% non condensing	
	working temperature	-30 +50	
	Working altitude	<2000 meters	
	Protection level	Gun head IP67/control box IP67	
	Cooling method	Natural cooling	
	Safety regulations and standards		
	Flame retardant grade	UL94 V0	
	Product Certification	TUV,CE,CB	
Functional design	man-machine interface	LCD 1.3 inch display screen/LED indicator light	
	communication	/	

Packaging specifications	Box gauge/weight	505*505*298mm
safety design	Undervoltage protection, overvoltage protection, overload protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection, electrostatic protection, flame retardant protection	

Application

Suitable for new energy vehicle home emergency electricity, outdoor travel, emergency relief, outdoor work and other occasions, charging anytime and anywhere.

The waterproof level has been raised from the industry standard requirement of IP54 to IP55, which is waterproof/dustproof

and can be used outdoors with peace of mind.





TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



Outdoorpower-station.com