



HD-OB105 Ev Charging Gun Portable Wall Mounted Installation 7KW 3.4KG 32A Plug

Basic Information

TIANJIN TOEC HUADIAN TECHNOLOGY Brand Name:

CO., LTD

HD-OB105 Model Number:



Product Specification

• Working Temperature: -30 +50 Working Altitude: <2000 Meters

Protection Level: Gun Head IP67/control Box IP67

Cooling Method: Natural Cooling

• Safety Design: Undervoltage Protection, Overvoltage

Protection, Overload Protection, Overcurrent Protection, Over Temperature Protection, Leakage Protection, Grounding Protection, Lightning Protection, Electrostatic Protection, Flame Retardant Protectionretardant Protect

505*505*298mm . Box Gauge/weight:

• Highlight: 7KW ev charging gun,

32A Plug ev charging gun, 7KW electric car charger for home

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners. HD-OB105 Portable Outdoor Power Station: Up to 7KW, 3.4KG, 32A Plug

Product Description

- 1. Portable household portable charger
- 2. After charging and use, it can be carried with the vehicle
- 3. When the device is in standby mode, the power is as low as 3W, saving energy and low consumption
- 4. Three color charging indicator light, indicating charging related values
- 5. Numerical screen display, displaying real-time charging data of the charging gun

Describe

The HD-OB105 charging gun is a portable charging product that meets the European Union's AC power consumption standards, with a rated AC output of maximum power of 7KW and a weight of approximately 3.4KG. It is suitable for household new energy on-board chargers, outdoor travel, emergency relief, outdoor work, and other occasions.

General specifications

General specifications		
Detailed parameters		Parameter Details
Name and model		HD-OB105
Appearance structure	plug model	32A industrial plug
	product type	Plug and Charge
	Shell material	Gun Head - Control Box PC9330
	Equipment size	Gun head 230 * 98 * 70mm/control box 220 * 98 * 62mm [H * W * D]
	Installation method	Floor/wall mounted
	Install components	Wall mounted screw accessories
	Wiring method	Up in and down out
	Equipment weight	About 3.4KG
	Cable specifications	3*6mm² +0.75mm²
		5 meters [supports customized line length]
Electrical indicators		AC230V
		50Hz/60Hz
	maximum power	7KW
	output voltage	AC230V
	Output current	32A
	standby power	3W
Environmental indicators	usage scenarios	Indoor/Outdoor
	Working humidity	5% -95% non condensing
	working temperature	-30 +50
	Working altitude	<2000 meters
	Protection level	Gun head IP67/control box IP67
	Cooling method	Natural cooling
	Safety regulations and standards	
	Flame retardant grade	UL94 V0
	Product Certification	TUV,CE,CB
Functional design	man-machine interface	LCD 1.3 inch display screen
	communication interface	/
Packaging specifications	Box gauge/weight	505*505*298mm

Undervoltage protection, overvoltage protection, overload safety design protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection, electrostatic protection, flame retardant protectionretardant protection

Application

Suitable for charging new energy vehicles anytime and anywhere for emergency electricity use in households, outdoor travel, emergency relief, outdoor work, and other occasions.

High current design

Compliant with national standard 13A high current design, fast and efficient, meeting charging needs, worry free travel.





TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



e outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin