

Basic Information

Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY

CO., LTD

Model Number: HD-AMB107



Product Specification

• Highlight: Fast home ev charging station,

light Weight home ev charging station, Fast electric car charger for home

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

HD-AMB107 Portable Home EV Charging Station with NEMA 5-15P Plug, 1.92KW Power and 2KG Weight Product Description

- 1. Portable household portable charger
- 2. After charging and use, it can be carried with the vehicle
- 3. The power of the device is as low as 3W in the on-machine state, saving energy and low consumption
- 4. Three color charging indicator light, indicating charging related values
- 5. Numerical screen display, displaying real-time charging data of the charging gun

Describe

The HD-AMB107 charging gun is a portable charging product that meets the American AC power standards, with a rated maximum AC output power of 1.92KW and a weight of approximately 2KG. It is suitable for household new energy on-board chargers, outdoor travel, emergency relief, outdoor work, and other occasions.

—般 格

一般 格		
Detailed parameters		Parameter Details
Name and model		HD-AMB107
	plug model	NEMA 5-15P
	product type	Plug and Charge
Appearance structure	Shell material	Gun Head - Control Box PC9330
	Equipment size	Gun head 230 * 98 * 58mm/control box 220 * 98 * 62mm [H * W * D]
	Installation method	Floor/wall mounted
	Install components	Wall mounted screw accessories
	Wiring method	Up in and down out
	Equipment weight	About1.92KG
	Cable specifications	3*2.5mm²+0.75mm²
	Cable length	5 meters [supports customized line length]
	input voltage	AC120V
	Input frequency	50Hz/60Hz
	maximum power	1.92KW
Electrical	output voltage	AC120V
indicators	Output current	16A
	standby power	3W
	usage scenarios	Indoor/Outdoor
	Working humidity	5% -95% non condensing
	working temperature	-30 +50
	Working altitude	<2000 meters
Environmental indicators		Gun head IP67/control box IP67
	Cooling method	Natural cooling
	Safety regulations and standards	
	Flame retardant grade	UL94 V0
	Product Certification	UL,FCC
Functional design	man-machine	LCD 1.3 inch display screen/LED indicator
	interface	light
	communication interface	/
Packaging specifications	Box gauge/weight	505*505*298mm

safety design	Undervoltage protection, overvoltage protection, overload protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection, electrostatic protection, flame retardant protectionretardant protection
---------------	---

Application

Suitable for American standard new energy vehicle home emergency electricity, outdoor travel, emergency relief, outdoor work and other occasions, charging anytime and anywhere.

Minimalist with screen display

High definition display screen

Clear charging status at a glance

Charging time

Charging capacity

Charging state

Current display

Temperature display





TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



e outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin