



# 32A Tri color LED Indicator Light EV Wall Charger for Lightweight and **Compact Design**

## **Basic Information**

Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY

CO., LTD

HD-OB305 Model Number:



## **Product Specification**

• Plug Model: Separate Wiring Without Plug

Product Type: Swipe Card Activation

Shell Material: Gun Head - Control Box PC9330

Gun Head 230 \* 98 \* 70mm/control Box 280 • Equipment Size:

\* 220 \* 93mm [H \* W \* D]

• Installation Method: Pillar/wall Mounted

Install Components: Wall Mounted Screw Accessories [can Be

Installed With Columns]

• Wiring Method: Up In And Down Out

About 3.7KG • Equipment Weight:

• Highlight: 32A EV Wall Charger,

Lightweight EV Wall Charger, Compact Design EV Wall Charger

## **Product Description**

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Name: 32A Tri color LED Indicator Light Household New Energy Vehicle Charging Station

**Product Description** 

Quick Details

- 1. Household wall mounted AC charging station, which can be installed with columns
- 2. Three color charging indicator light, indicating charging related values
- 3. Optional gold and silver glass panels, supporting customized panels

#### Describe

The HD-OB207 charging gun is a portable charging product that complies with the European Union's AC power consumption standards, with a rated maximum AC output power of 7KW and a weight of approximately 3.7KG. It is suitable for wall mounted household new energy charging stations and is convenient and fast.

#### General specifications

lug model roduct type hell material equipment size	Parameter Details HD-OB305 Separate wiring without plug Swipe card activation Gun Head - Control Box PC9330
lug model roduct type hell material quipment size	Separate wiring without plug Swipe card activation
roduct type hell material quipment size	Swipe card activation
hell material quipment size	
quipment size	Gun Head - Control Box PC9330
· · ·	
	Gun head 230 * 98 * 70mm/control box 280 * 220 * 93mm [H * W * D]
nethod	Pillar/wall mounted
	Wall mounted screw accessories [can be
	installed with columns]
/iring method	Up in and down out
eight	About 3.7KG
pecifications	3*6mm² +0.75mm²
	5 meters [supports customized line length]
put voltage	AC230V
put frequency	50Hz/60Hz
naximum ower	7KW
utput voltage	AC230V
' '	32A
	3W
sage	Indoor/Outdoor
umaily	5% -95% non condensing
orking emperature	-30 +50
Vorking Ititude	<2000 meters
rotection level	Gun head IP67/control box IP67
ooling method	Natural cooling
afety egulations and tandards	
laue	UL94 V0
roduct ertification	TUV,CE,CB
iteriace	LED indicator light
ommunication Iterface	/
ox auge/weight	505*505*298mm
	ethod stall components firing method quipment eight able pecifications able length put voltage put frequency aximum cover conting corking corking corking corking corking ditude cotection level cooling method afety gulations and andards coduct certification can-machine terface cox

	Undervoltage protection, overvoltage protection, overload
safety design	protection, overcurrent protection, over temperature protection,
	leakage protection, grounding protection, lightning protection,
	electrostatic protection, flame retardant protectionretardant
	protection

Matters needing attention

- 1. Do not put the product into water!
- 2. Do not heat the product or approach a fire source! Do not disassemble or modify the product without authorization! Do not forcefully strike the product! otherwise It may cause other hazards such as overheating, short circuit, fire, functional failure, and shortened lifespan of the battery.
- 3. Disassembly and assembly prohibited
- 4. It is prohibited to use non dedicated vehicles for charging, as it may cause danger;
- 5.If there is leakage, do not directly touch the leakage. The leaked electrolyte can cause skin discomfort. In case the electrolyte enters the eyes, rinse with clean water as soon as possible, do not rub the eyes, and promptly seek medical attention:

#### Application

Suitable for charging anytime and anywhere in situations such as emergency electricity for American standard new energy vehicles, outdoor travel, emergency relief, and outdoor work.

Frequently Asked Questions

- 1.Can I place a sample order for a charging gun?
- 2. What is the delivery time?
- 3.Is there a minimum order quantity limit for charging gun orders?
- 4. How to transport the goods and how long will it take for delivery?
- 5. How to process charging gun orders? (Requirements, quotations, samples, deposits, production)
- 6. Is it possible to label?
- 7. How long is the warranty period?
- 8. How to handle faults?



### TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626





Outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin