

25.6V 255Ah Starting Battery Lithium Battery with UL CCC CE UN38.3 Certifications

Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-24255PL-B039



Product Specification

- Type: 25.6V 255Ah
- Typical Capacity: 255Ah
- Minimum Capacity: 230Ah
- Rated Voltage: 25.6V
- Maximum Charging Voltage: 29.2V
- Internal Resistance: $\leq 10\text{m}\Omega$
- Maximum Charging Current: 250A
- Application: Automotive
- Highlight: **UL CCC CE UN38.3 Starting Battery, 25.6V Starting Battery, 255Ah Starting Battery**

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Description:

Use lithium batteries instead of traditional lead-acid batteries. Make a leap in quality.
Wide range of adaptation, suitable for 80% of the models on the market.

General specifications:

Type	25.6V 255Ah			
Typical capacity	255Ah			
Minimum capacity	230Ah			
Rated voltage	25.6V			
Maximum charging voltage	29.2V			
Cut-off voltage	22.0V			
Charging current	Standard charging	5A		
	Fast charging	70-250A		
Maximum charging current	250A			
Maximum continuous discharge current	255A			
Maximum starting current	1800CCA			
Battery weight	≈41 kg			
Internal resistance	≤10mΩ			
Factory voltage	25.2-29.2V			
Size	L523*W269*H218 MM (±3MM)			
Charging method	Standard	CC	30A	29.2V cut-off
		CV	29.2V	1A cut-off

Our advantages:

	QUALITY MANAGEMENT CERTIFICATION STANDARDS
	UNDERWRITER LABORATORIES INC.
	CHINA COMPULSORY CERTIFICATION
	CONFORMITE EUROPEENNE
	UN38.3 EXAMINING REPORT
	MATERIAL SAFETY DATA SHEET
	PICC UNDERWRITES

Customer built is the first principle for us.

Factory Price + Senior Design and Production Team + Adequate Supply Capacity + Professional Quality Control + Punctual delivery time



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin