

Choose the Right Starting Battery for Your Vehicle 25.6V 200Ah Lithium

Basic Information

- Brand Name:
- TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number:
- HD-24200PL-B038



Product Specification

• Туре:	25.6V 200Ah
 Typical Capacity: 	200Ah
 Minimum Capacity: 	180Ah
 Rated Voltage: 	25.6V
 Maximum Charging Voltage: 	29.2V
 Internal Resistance: 	≤10mΩ
Maximum Charging Current:200A	
 Application: 	Automotive
Highlight:	200Ah Starting Battery, 25.6V Starting Battery, Lithium Starting Battery

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Description:

Use lithium batteries instead of traditional lead-acid batteries. Make a leap in quality. Wide range of adaptation, suitable for 80% of the models on the market.

General specifications:

25.6V 200Ah		
200Ah		
180Ah		
25.6V		
29.2V		
22.0V		
Standard	20A	
charging	207	
Fast charging	70-250A	
200A	·	
200A		
1600CCA		
≈35 kg		
≤10mΩ		
25.2-29.2V		
L523*W269*H218 MM (±3MM)		
Standard	CC 20A 29.2V cut- off CV 29.2V 1A cut-off	
	200Ah 180Ah 25.6V 29.2V 22.0V Standard charging Fast charging 200A 200A 200A 1600CCA ≈35 kg ≤10mΩ 25.2-29.2V L523*W269*H2	

Our advantages:

Our auvaniage	
ISO9001	QUALITY MANAGEMENT CERTIFICATION STANDARDS
(ų	UNDERWRITER LABORATORIES INC.
	CHINA COMPULSORY CERTIFICATION
CE	CONFORMITE EUROPEENNE
	UN38.3 EXAMINING REPORT
MSDS	MATERIAL SAFETY DATA SHEET
РКС	PICC UNDERWRITES

Customer built is the first principle for us.

Factory Price + Senior Design and Production Team + Adequate Supply Capacity + Professional Quality Control + Punctual delivery time

