



## Steel Tube Frame and Pneumatic Rubber Tire Electric Wheelchair with 120 kgs Load Capacity

Our Product Introduction

### Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-DYW-01-8003AT



### Product Specification

- Frame Material: Steel Tube
- Front Wheel Size: 10"
- Rear Wheel Size: 16"
- Load Capacity: 120 Kgs
- Backrest Height: 400 Mm
- Seat Depth: 440 Mm
- Seat Width: 455 Mm
- Seat Height From The Ground: 510 Mm
- Highlight: Steel Tube Frame Electric Wheelchair,  
120 kgs Electric Wheelchair,  
Pneumatic Rubber Tire Electric Wheelchair

for more products please visit us on [outdoorpower-station.com](http://outdoorpower-station.com)

## Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

### Product Description:

Frame: ergonomic design. The use of thickened frame material greatly increases the service life, excellent workmanship. It has the advantages of reversible foot stand, adjustable armrest, folding structure and good safety performance. Surface spray or oxidation treatment shiny smooth feel good.

The backrest Angle is completely designed according to the physiological curvature of the human waist to provide the best support for the human body.

The cushion is made of cloth with a removable thick upper cushion for easy cleaning.

It is equipped with high safety performance anti-slant device.

The controller automatically adjusts the left and right motor speed, the front and back can be adjusted, and the left and right can be interchangeable.

### General specifications:

Frame Material	Steel Tube
Front Tire Material	No pneumatic PU tire (solid tire) or pneumatic tire
Rear Tire Material	Pneumatic rubber tire (includes anti-rollover wheel on both sides)
Surface Treatment	Powder Coating
Frame Material	Steel Tube
Front Wheel Size	10"
Rear Wheel Size	16"
Load Capacity	120 kgs
Backrest Height	400 mm
Seat Depth	440 mm
Seat Width	455 mm
Seat Height from the Ground	510 mm
Dimensions	1130*650*950 mm
Motor Power	250W*2
Continuation Mileage	1 Km/Ah
General Parameters	Brushed motor
Top Speed	6 Km/h
Braking System	Inclined ramp braking system (electromagnetic braking system)
Battery	24V 12Ah (Lead-acid batteries)
Package N. W.	42 kgs
Package G. W.	46 kgs
Package Dimensions	860*415*765 mm

### Our advantages:

- ☒ Lightweight and Foldable
- ☒ Portable and High safety
- ☒ OEM and customized service
- ☒ Same Quality and High cost performance
- ☒ Worry-free and after-sales service

**Customer built is the first principle for us.**



Easy to install



Electromagnetic  
brake



4 shock  
absorption



Electric/Manual



Long battery life



Dual motors



**TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD**



13752486626



[huangwei@toec-iot.com](mailto:huangwei@toec-iot.com)



[outdoorpower-station.com](http://outdoorpower-station.com)

No. 6, Mount Taishan Road, Hexi District, Tianjin