

## Steel Tube Frame Electric Wheelchair With High Back That Can Be Put Down

## **Basic Information**

- Brand Name:
- TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number:

HD-DYW-01-8003BT



## **Product Specification**

- Frame Material:
- Front Wheel Size:
- Rear Wheel Size:
- Load Capacity:
- Backrest Height:
- Seat Depth:
- Seat Width:
- Seat Height From The •
- Ground: • Highlight:
- High back Electric Wheelchair, Steel Tube Frame Electric Wheelchair, Put down Electric Wheelchair

Steel Tube

10"

16"

120 Kgs

438 Mm

440 Mm

455 Mm

510 Mm

## **Product Description**

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Description:

Frame: ergonomic design. The use of thickened frame material greatly increases the service life, excellent workmanship. It has the advantages of reversible foot stand, adjustable armrest, folding structure and good safety performance. Surface spray or oxidation treatment shiny smooth feel good.

The backrest Angle is completely designed according to the physiological curvature of the human waist to provide the best support for the human body.

The cushion is made of cloth with a removable thick upper cushion for easy cleaning.

It is equipped with high safety performance anti-slant device.

The controller automatically adjusts the left and right motor speed, the front and back can be adjusted, and the left and right can be interchangeable.

General specifications:

| Frame Material              | Steel Tube                         |
|-----------------------------|------------------------------------|
| Front Tire Material         | No pneumatic PU tire (solid trie)  |
|                             | or pneumatic tire                  |
| Rear Tire Material          | Pneumatic rubber tire(includes     |
|                             | anti-rollover wheel on both sides) |
| Surface Treatment           | Powder Coating                     |
| Frame Material              | Steel Tube                         |
| Front Wheel Size            | 10"                                |
| Rear Wheel Size             | 16"                                |
| Load Capacity               | 120 kgs                            |
| Backrest Height             | 438 mm                             |
| Seat Depth                  | 440 mm                             |
| Seat Width                  | 455 mm                             |
| Seat Height from the Ground | 510 mm                             |
| Dimensions                  | 1168*635*950 mm                    |
| Motor Power                 | 250W*2                             |
| Continuation Mileage        | 1 Km/Ah                            |
| General Parameters          | Brushed motor                      |
| Top Speed                   | 6 Km/h                             |
| Braking System              | Inclined ramp braking system       |
|                             | (electromagnetic braking system)   |
| Battery                     | 24V 12Ah (Lead-acid batteries)     |
| Package N. W.               | 43 kgs                             |
| Package G. W.               | 47 kgs                             |
| Package Dimensions          | 865*415*765 mm                     |



Our advantages:

