



Kg Load Capacity

Basic Information

TIANJIN TOEC HUADIAN TECHNOLOGY Brand Name:

CO., LTD

HD-DYW-01-8012 Model Number:



Product Specification

10" . Front Wheel Size: · Rear Wheel Size: 16" . Load Capacity: 100 Kgs • Backrest Height: 500 Mm . Seat Depth: 500 Mm Seat Width: 450 Mm

Highlight: 100 kg Load Capacity Electric Wheelchair, Adjustable Speed Electric Wheelchair,

500 mm Backrest Height Electric Wheelchair

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.


Product Description:

- 1. Frame: Ergonomic design, frame using thick material greatly increase the service life, excellent workmanship. It adopts rolleable foot stand, removable armrests on both sides, shock absorption system before and after, folding structure, good safety performance. Surface spray or paint treatment bright smooth feel good.
- 2. The backrest angle is completely designed according to the physiological curvature of the human waist, providing the best support for the human body.
- 3. The cushion is made of black mesh fabric with removable thick upper pad for easy cleaning.
- 4. The front wheel is made of 10-inch PVC non-inflatable tire aluminum alloy wheels, and the rear wheel is made of 16-inch inflatable tires, equipped with high safety performance anti-incline device.
- 5. The controller automatically adjusts the speed of the left and right motor, the front and back can be adjusted, the left and right can be interchangeable, and the voice prompt function.
- 6. Motor specification/quantity: 250W*2.
- 7. Battery type/specification/quantity: lead-acid battery /24V*12A (optional 24V*20A lead-acid battery)
- 8. Climb the maximum Angle: 10 degrees.
- 9. Charging time: 6 hours (24V12A battery).
- 10. Turning radius: 1.2m.11. Maximum speed: 6 km/h.
- 12. Brake system: electronic brake.
- 13. Endurance: 12 km.

General specifications:

_	h i = = 1 a i a
Туре	HD-DYW-01-8015
Front Tire Material	Non-inflatable tire aluminum alloy
	wheel
Rear Tire Material	Pneumatic tire
Surface Treatment	Spray or oxidation treatment
Front Wheel Size	10 inch
Rear Wheel Size	16 inch
Load Capacity	100 kgs
Backrest Height	50 cm
Seat Depth	50 cm
Seat Width	45 cm
Dimensions	110*63*130 cm
Motor Power	250W*2
Continuation Mileage	12 km
Climb through maximum	10 °
Angle	10
Top Speed	6 km/h
Braking System	Electronic brake
Battery	24V 12Ah (Lead-acid batteries)
N. W.	43 kgs
G. W.	48 kgs

Our advantages:





Customer built is the first principle for us.



TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



e outdoorpower-station.com