

Fast Charging Portable Outdoor Power Station With USB-A And USB-C Outputs

Our Product Introduction

for more products please visit us on outdoorpower-station.com

Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-PORTABLE-S-G2



Product Specification

- Capacity: 2560Wh
- Type: STC 02/2.5
- Wireless Charging: 15W
- Car Charger Input: Support 12/24V
- Car Charger Output: 12V/10A, Maximum Power 120W
- Solar Charging Input: 1200W 10-60V
- Discharging Temperature: -20 -45
- Charging Temperature: 0 -45
- Highlight: **USB-C Portable Outdoor Power Station,
Fast Charging Portable Outdoor Power Station,
USB-A Portable Outdoor Power Station**

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Description:

Suitable for outdoor travel, power supply for cells, computers and so on, to meet the diversified portable needs of outdoor travel.

In earthquake and tsunami-prone areas, it can form a small power generation system with solar panels to meet emergency electricity demand.

General specifications:

		Standard	Plus
Basic Parameter	Type	STC 02/2.5	
	Capacity	2560Wh	
	Size(L*W*H)	514*258*357(mm)	
	N.W.	about 32kg	
	APP	WiFi	
	Color	Cold Grey/White	
Output Spec.	AC Output	3-channel output,3300W,AC 220V-240V,50Hz/60Hz 3-channel output,2000W,AC 110V-120V,50Hz/60Hz	
	USB-A	1-channel output, 5V/2.4A(constant voltage), maximum power 12W	
	USB-A Fast Charge	1-channel output, 5V/2.4A, 9V/2A, 12V/1.5A(constant voltage), maximum power 18W	
	USB-C	2-channel output, 5/9/12/15/20V--5A(constant voltage), maximum power 100W per channel	
	Car Charger Output	12V/10A, maximum power 120W	
	DC5521 Output	12V/3A, 2-channel, maximum power 36W per channel	
	Wireless Charging	Support, 15W	
	Anderson Port	12V/20A	Default 40V/20A, support the balcony light storage system, and connect to the micro-inverse
Input Spec.	AC Input	2200W,AC 220V-240V,50Hz/60Hz 1800W,AC 110V-120V,50Hz-60Hz	
	Solar Charging Input	1200W,10-60V	
	Car Charger Input	Support 12/24V	
Battery Spec.	Cell Material	LiFePO4	
	Cycle Life	After 3500 cycles, the remaining capacity is still more than 80%.	
	Protection	High temperature, low temperature, over discharge, over charge, overload, short-circuit, over current	
Running Temperature	Discharging Temperature	-20 -45	
	Charging Temperature	0 -45	
	Storage Temperature	0 -45	
Other Spec.	Balcony Light Storage System	nonsupport	support
	Flashlight	Outdoor lighting and emergency calls	
	Storage	Get	
	Expanding Function	nonsupport	

Application:



Advantages:

2560Wh 3300W 兼容99%日常电器 Compatible with 99% of everyday appliances	超级快充 Super Fast Charge 1小时充满80% Charge 80% in 1 hour	轻松便携 Easy and Portable 拉杆滑轮设计 Pull rod pulled design
APP 智能监控 Intelligent Monitoring	安全可靠 Safe and Reliable BMS十重防护 BMS ten protection	7类接口 7 Types Port 同时给12个设备供电 Power 12 devices at the same time

Customer built is the first principle for us.

Factory Price + Senior Design and Production Team + Adequate Supply Capacity + Professional Quality Control + Punctual delivery time

Customized common questions:

Q1. What does your company do?

A: National Technology Innovation Demonstration Enterprise & National Electronic Information Industry Leading Enterprises.

Q2. Are you a manufacturer or a trading company?

A: We are a manufacturer.

Q3. How to get a quotation?

Just send emails to us, we will offer a competitive price for you.

Q4. How do you make our business long-term and good relationship?

A: We keep good quality with competitive price to ensure our customers benefit.

We respect every customer as our friend and we sincerely do business and make friend with them, no matter where they come from.



TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin