

Portable Outdoor Power Station Perfect Solution For Outdoor Power Needs

Our Product Introduction

Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-PORTABLE-PLUS-G1



Product Specification

- Capacity: 2560Wh
- Car Charger Input: Support 12/24V
- Car Charger Output: 12V/10A, Maximum Power 120W
- Solar Charging Input: 1200W 10-60V
- Discharging Temperature: -20 -45
- Charging Temperature: 0 -45
- Highlight: **Outdoor Power Station,
Perfect Portable Outdoor Power Station**

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Description:

Suitable for outdoor travel, power supply for cells, computers and so on, to meet the diversified portable needs of outdoor travel.

In earthquake and tsunami-prone areas, it can form a small power generation system with solar panels to meet emergency electricity demand.

General specifications:

| | | Standard | Plus |
|---------------------|------------------------------|---|---|
| Basic Parameter | Type | STC 02/2.5 | |
| | Capacity | 2560Wh | |
| | Size(L*W*H) | 514*258*357(mm) | |
| | N.W. | about 32kg | |
| | APP | WiFi | |
| | Color | Cold Grey/White | |
| Output Spec. | AC Output | 3-channel output,3300W,AC 220V-240V,50Hz/60Hz 3-channel output,2000W,AC 110V-120V,50Hz/60Hz | |
| | USB-A | 1-channel output, 5V/2.4A(constant voltage), maximum power 12W | |
| | USB-A Fast Charge | 1-channel output, 5V/2.4A, 9V/2A, 12V/1.5A(constant voltage), maximum power 18W | |
| | USB-C | 2-channel output, 5/9/12/15/20V--5A(constant voltage), maximum power 100W per channel | |
| | Car Charger Output | 12V/10A, maximum power 120W | |
| | DC5521 Output | 12V/3A, 2-channel, maximum power 36W per channel | |
| | Wireless Charging | Support, 15W | |
| | Anderson Port | 12V/20A | Default 40V/20A, support the balcony light storage system, and connect to the micro-inverse |
| Input Spec. | AC Input | 2200W,AC 220V-240V,50Hz/60Hz 1800W,AC 110V-120V,50Hz-60Hz | |
| | Solar Charging Input | 1200W,10-60V | |
| | Car Charger Input | Support 12/24V | |
| Battery Spec. | Cell Material | LiFePO4 | |
| | Cycle Life | After 3500 cycles, the remaining capacity is still more than 80%. | |
| | Protection | High temperature, low temperature, over discharge, over charge, overload, short-circuit, over current | |
| Running Temperature | Discharging Temperature | -20 -45 | |
| | Charging Temperature | 0 -45 | |
| | Storage Temperature | 0 -45 | |
| Other Spec. | Balcony Light Storage System | nonsupport | support |
| | Flashlight | Outdoor lighting and emergency calls | |
| | Storage | Get | |
| | Expanding Function | nonsupport | |

Application:



Advantages:

| | | |
|---|--|--|
| <p>2560Wh 3300W 兼容99%日常电器 Compatible with 99% of everyday appliances</p> | <p>超级快充 Super Fast Charge 1小时充满80% Charge 80% in 1 hour</p> | <p>轻松便携 Easy and Portable 拉杆滑轮设计 Pull rod pulled design</p> |
| <p>APP 智能监控 Intelligent Monitoring</p> | <p>安全可靠 Safe and Reliable BMS十重防护 BMS ten protection</p> | <p>7类接口 7 Types Port 同时给12个设备供电 Power 12 devices at the same time</p> |

Customer built is the first principle for us.

Factory Price + Senior Design and Production Team + Adequate Supply Capacity + Professional Quality Control + Punctual delivery time

Customized common questions:

Q1. What does your company do?

A: National Technology Innovation Demonstration Enterprise & National Electronic Information Industry Leading Enterprises.

Q2. Are you a manufacturer or a trading company?

A: We are a manufacturer.

Q3. How to get a quotation?

Just send emails to us, we will offer a competitive price for you.

Q4. How do you make our business long-term and good relationship?

A: We keep good quality with competitive price to ensure our customers benefit.

We respect every customer as our friend and we sincerely do business and make friend with them, no matter where they come from.



TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin