


## 32A Wall Mounted Household Charging Station / Tesla Model 3 Home Charger

Our Product Introduction

### Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-1003



### Product Specification

- Plug Model: Separate Wiring Without Plug
- Product Type: Swipe Card Activation
- Shell Material: Gun Head - Control Box PC9330
- Equipment Size: Gun Head 230 \* 98 \* 70mm/control Box 280 \* 220 \* 93mm [H \* W \* D]
- Installation Method: Pillar/wall Mounted
- Install Components: Wall Mounted Screw Accessories [can Be Installed With Columns]
- Wiring Method: Up In And Down Out
- Equipment Weight: About 3.7KG
- Highlight: **32A Wall Mounted Household Charging Station, Tesla Model 3 Home Charger, 32A Household Charging Station**

for more products please visit us on [outdoorpower-station.com](http://outdoorpower-station.com)

## Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Product Name: 32A Tri color LED Indicator Light Household New Energy Vehicle Charging Station

Product Description

Quick Details

1. Household wall mounted AC charging station, which can be installed with columns
2. Three color charging indicator light, indicating charging related values
3. Optional gold and silver glass panels, supporting customized panels

Describe

The HD-1003 charging gun is a portable charging product that complies with the European Union's AC power consumption standards, with a rated maximum AC output power of 7KW and a weight of approximately 3.7KG. It is suitable for wall mounted household new energy charging stations and is convenient and fast.

General specifications

| Detailed parameters      |                                  | Parameter Details   |
|--------------------------|----------------------------------|---|
| Name and model           |                                  | HD-1003   |
| Appearance structure     | plug model                       | Separate wiring without plug                                      |
|                          | product type                     | Swipe card activation   |
|                          | Shell material                   | Gun Head - Control Box PC9330                                     |
|                          | Equipment size                   | Gun head 230 * 98 * 70mm/control box 280 * 220 * 93mm [H * W * D] |
|                          | Installation method              | Pillar/wall mounted   |
|                          | Install components               | Wall mounted screw accessories [can be installed with columns]    |
|                          | Wiring method                    | Up in and down out  |
|                          | Equipment weight                 | About 3.7KG   |
|                          | Cable specifications             | 3*6mm <sup>2</sup> +0.75mm <sup>2</sup>                           |
|                          | Cable length                     | 5 meters [supports customized line length]                        |
| Electrical indicators    | input voltage                    | AC230V  |
|                          | Input frequency                  | 50Hz/60Hz   |
|                          | maximum power                    | 7KW   |
|                          | output voltage                   | AC230V  |
|                          | Output current                   | 32A   |
|                          | standby power                    | 3W  |
| Environmental indicators | usage scenarios                  | Indoor/Outdoor  |
|                          | Working humidity                 | 5% -95% non condensing  |
|                          | working temperature              | -30 +50   |
|                          | Working altitude                 | <2000 meters  |
|                          | Protection level                 | Gun head IP67/control box IP67                                    |
|                          | Cooling method                   | Natural cooling   |
|                          | Safety regulations and standards | SAEJ1772  |
|                          | Flame retardant grade            | UL94 V0   |
|                          | Product Certification            | TUV,CE,CB   |
|                          | man-machine interface            | LED indicator light   |
| Functional design        | communication interface          | /   |
|                          | Packaging specifications         | Box gauge/weight  |
|                          |                                  | 505*505*298mm   |

|               |   |
|---------------|---|
| safety design | Undervoltage protection, overvoltage protection, overload protection, overcurrent protection, over temperature protection, leakage protection, grounding protection, lightning protection, electrostatic protection, flame retardant protectionretardant protection |
|---------------|---|

#### Matters needing attention

1. Do not put the product into water!
2. Do not heat the product or approach a fire source! Do not disassemble or modify the product without authorization! Do not forcefully strike the product! otherwise It may cause other hazards such as overheating, short circuit, fire, functional failure, and shortened lifespan of the battery.
3. Disassembly and assembly prohibited
4. It is prohibited to use non dedicated vehicles for charging, as it may cause danger;
- 5.If there is leakage, do not directly touch the leakage. The leaked electrolyte can cause skin discomfort. In case the electrolyte enters the eyes, rinse with clean water as soon as possible, do not rub the eyes, and promptly seek medical attention;

#### Application

Suitable for charging anytime and anywhere in situations such as emergency electricity for American standard new energy vehicles, outdoor travel, emergency relief, and outdoor work.

#### Frequently Asked Questions

- 1.Can I place a sample order for a charging gun?
2. What is the delivery time?
- 3.Is there a minimum order quantity limit for charging gun orders?
4. How to transport the goods and how long will it take for delivery?
- 5.How to process charging gun orders? (Requirements, quotations, samples, deposits, production)
6. Is it possible to label?
7. How long is the warranty period?
8. How to handle faults?



**TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD**



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin