

AC Outlets USB Ports 15W Portable Camping Power Station Wireless Charging Anderson Port

Our Product Introduction

Basic Information

- Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD
- Model Number: HD-PORTABLE-2



Product Specification

- Capacity: 2560Wh
- Type: STC 02/2.5
- Wireless Charging: Support
- Anderson Port: 12V / 20A
- Solar Charging Input: 1200W, 10-60V
- Cell Material: LiFePO4
- Discharging Temperature: -20 -45
- Charging Temperature: 0 -45
- Highlight: Anderson Port portable camping power station,
AC Outlets portable camping power station,
15W portable camping power station

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

This is a portable power station, commonly used to provide power support for various electronic devices. As shown in the image, this power station is equipped with multiple interfaces, including AC outlets and USB ports, catering to the charging needs of a wide range of devices. It also features wheels and a telescopic handle for easy portability, making it suitable for outdoor activities, camping, travel, or emergency use.

The portable power station shown in the image is a versatile and reliable source of backup power, ideal for outdoor activities, emergencies, or off-grid living. Here are the key specifications:

		Standard	Plus
Basic Parameter	Type	STC 02/2.5	
	Capacity	2560Wh	
	Size(L*W*H)	514*258*357(mm)	
	N.W.	about 32kg	
	APP	WiFi	
	Color	Grey/White	
Output Spec.	AC Output	3-channel output,3300W,AC 220V-240V,50Hz/60Hz 3-channel output,2000W,AC 110V-120V,50Hz/60Hz	
	USB-A	1-channel output, 5V/2.4A(constant voltage), maximum power 12W	
	USB-A Fast Charge	1-channel output, 5V/2.4A, 9V/2A, 12V/1.5A(constant voltage), maximum power 18W	
	USB-C	2-channel output, 5/9/12/15/20V--5A(constant voltage), maximum power 100W per channel	
	Car Charger Output	12V/10A, maximum power 120W	
	DC5521 Output	12V/3A, 2-channel, maximum power 36W per channel	
	Wireless Charging	Support, 15W	
	Anderson Port	12V/20A	Default 40V/20A, support the balcony light storage system, and connect to the micro-inverse
Input Spec.	AC Input	2200W,AC 220V-240V,50Hz/60Hz 1800W,AC 110V-120V,50Hz-60Hz	
	Solar charging input	1200W,10-60V	
	Car Charger Input	Support 12/24V	
Batter	Cell Material	LiFePO4	
	Cycle Life	After 3500 cycles, the remaining capacity is still more than 80%.	
	Protection	High temperature, low temperature, over discharge, over charge, overload, short-circuit, over current	
Running Temperature	Discharging Temperature	-20 -45	
	Charging Temperature	0 -45	
	Storage Temperature	0 -45	
Other Spec.	Balcony Light Storage System	nonsupport	support
	Flashlight	Outdoor lighting and emergency calls	
	Storage	Get	
	Expanding Function	nonsupport	





TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD



13752486626



huangwei@toec-iot.com



outdoorpower-station.com

No. 6, Mount Taishan Road, Hexi District, Tianjin