



EV Charger Adapter lightweight design 269 grams easy to carry and store in Tesla glove box or fleet vehicle compartments

Basic Information

Brand Name: TIANJIN TOEC HUADIAN TECHNOLOGY

CO., LTD

Model Number: HD-TYPE 1-TESLA



Product Specification

VOLTAGE: MAX 240V Alternating Current

• Current: MAX 80A

• Operating Temperature: -22°F To +122°F"

Rated Current: 269gPacking Quantity: 50pcsTotal Gross Weight: 14.35KG

• Highlight: lightweight EV charger adapter,

Tesla glove box charger adapter, portable fleet vehicle EV adapter

Product Description

We usually export large quantities to foreign countries. Hope to find more trade partners.

Unmatched Power & Safety

- Handles up to 240V alternating current and 80A maximum current—delivering fast, reliable charging every time.
- Built to perform in extreme conditions: operating temperature range of -22°F to 122°F ensures consistent functionality in hot summers or cold winters.

Perfectly Compatible

 $Seamlessly \ works \ with \ Tesla \ 3/S/X/Y \ Level \ 1 \ \& \ Level \ 2 \ charging \ stations \\ --no \ extra \ gear \ needed, just \ plug \ in \ and \ charge.$

Built for Convenience


- Lightweight design: 269g per unit (easy to carry in your Tesla's glove box).
- Bulk packaging (50PCS per carton) with compact dimensions (1058260mm per box, 53.531.521CM outer carton)—ideal for storage or fleet needs. Total carton weight: 14.35KG.













TIANJIN TOEC HUADIAN TECHNOLOGY CO., LTD







No. 6, Mount Taishan Road, Hexi District, Tianjin